

卡丽 K A R A T[®]

安装说明书 INSTALLATION INSTRUCTIONS

LUNA FLOOR-MOUNT BATH & SHOWER FAUCET

露娜座地式浴缸淋浴龙头

26887T-CP

BEFORE YOU BEGIN

安装之前

- please carefully read this installation instruction in order to ensure proper care and assembly of this accessory.
- Please keep this installation instruction for future reference.

- 在您安装之前请详细阅读此说明书。
- 请保留此说明书以备参考。



Prior to drilling into walls, check there are no hidden electrical wires, cables or water supply pipes with the aid of an electronic detector. If you use power tools do not forget:

1. Wear eye protection.
2. Unplug equipment after use.



警示：在钻孔之前，请借助电子探测仪确认墙内是否有电源线，通讯光缆或者水管之类的东西。如果使用电钻的话请勿忘记以下两点：

1. 请戴上防护镜。
2. 用完设备后关掉电源。

TOOLS AND ACCESSORIES

工具及配件




ROUGHING-IN

尺寸图

Reference Value
参考值

Unit: mm
单位: 毫米




公司保留随时变更图中标示尺寸的权利，无需另行通知。
Our company reserves the right to change marked dimensions without prior notice.

INSTALLATION

安装


1. Position your desired installation area and dig out groove for inlet body and hot and cold supplies as illustrated.

1. 定位所需的安装区域并挖出凹槽如图所示，用于进口阀体和冷热供应。



2. Fix the pre-laid inlet body in the groove with self-tapping screws and plugs and connect both hot and cold supplies. Turn on the supply and check all connections for leaks. **Then fill concrete and finish the surface.**

2. 用自攻将预浸进口阀体固定在槽内螺丝和插头，连接冷热电源。打开电源并检查所有连接有无泄漏。然后填充混凝土并修整表面。





3. Slide escutcheon cap onto the faucet body, then connect the faucet with pre-laid inlet body. Gasket MUST be filled between the faucet connecting nut and pre-laid inlet body. Tighten the connecting nut with spanner and ensure it is fully tightened.

3. 将饰盖滑到水龙头本体上，然后连接。带预入口的水龙头阀体。垫片必须填写在水龙头连接螺母和预浸进口阀体之间。用扳手拧紧连接螺母并确保完全拧紧。




4. Connect the showerhead, faucet body and inlet hose.

4. 连接淋浴喷头、水龙头本体和进水软管。



HANDLE OPERATION

使用说明



CARING FOR YOUR PRODUCTS

保养须知

1. Clean the product daily with cotton cloth.

Do not use abrasive materials.

2. Do not use strong chemical detergents such as strong acid, strong alkali or phosphoric acid.
3. Avoid scratching product surface with sharp objects.

1. 要经常除尘，因为灰尘每天都会粘在不锈钢的表面。最好使用干净的纯棉针织品作为抹布。

切记：请避免使用粗，磨料和钢丝球擦拭。

2. 请勿使用强力化学剂清洁（强酸，强碱或磷酸消毒剂）。
3. 不锈钢均经过表面的打磨和抛光处理，避免有尖锐的硬物刮碰表面。

ONE -YEARS WARRANTY

一年有限担保

Our company provides one years warranty for its drain. Our company will at its election, repair, replace or make appropriate adjustment where our company inspection discloses any such defects occurring in normal usage within warranty.

The warranty, including products, is limited clearly. Our company is not responsible for other damages appeared after the warranty. Also, the warranty dose not cover problems arising from labor charges, incorrect use and installation.

本产品自购买之日起，在正常使用情况下我司将提供一年的质量担保，经核查后，我司有权决定是修理，更改，还是做适当的调整。

这里的担保，包括产品都已明确地限制在该担保期内。本公司对以后出现的损坏不负有任何责任。担保也不包括外观损伤，使用不当及未按说明书安装的损失。

Shanghai Kohler International Trade Co., Ltd.
Address: Room 1348, Floor 13, No.55, Xi Li Road,
China (Shanghai) Pilot Free Trade Zone
Tel: 400-920-8262
Postcode: 201206

上海科勒国际贸易有限公司
地址：中国（上海）自由贸易试验区西里路55号13层1348部位
电话：400-920-8262
邮编：201206

卡丽 K A R A T®

维修零件图 SERVICEPARTSPAGE

LUNA FLOOR-MOUNT BATH & SHOWER FAUCET
露娜座地式浴缸淋浴龙头
26887T-CP

